

IN THE CLAIMS

Please amend the claims as follows:

1. - 13. (Canceled)

14. (Currently Amended) A method for soliciting or placing at least one order for golf shoes footwear, comprising the steps of:

- providing at least one computer;
- providing an order form through the at least one computer to be accessed by at least one user from a remote site;
- measuring the size of the user's foot to provide a size parameter using a device connected to the computer network;
- providing at least one additional parameter selected from the group consisting of traction level, cleat type, personalization, cushioning, and combinations thereof;
- entering the at least one additional parameter on the order form;
- submitting the order form through the computer network; and
- receiving the foot-wear golf shoes according to each parameter in the order form.

15. (Currently Amended) The method according to claim 14, wherein the step of measuring the size further comprises providing at least one of a laser-sizing device, a photographic-sizing device, or a graduated-sizing device.

16. (Previously Amended) The method according to claim 14, wherein the step of providing at least one computer further comprises providing a first computer at a store location and a second computer at a warehouse in communication with the first computer.

17. (Previously Amended) The method according to claim 14, wherein the step of providing at least one computer further comprises providing a third computer at a manufacturing facility in communication with the first and second computers.

18. - 26. (Canceled)

27. (Currently Amended) A method for soliciting or placing at least one order for golf shoes footwear, comprising the steps of:

- providing at least one computer;
- providing an order form through the at least one computer to be accessed by at least one user from a remote site;
- providing at least one measuring device connected to the at least one computer for measuring a size parameter;
- inputting the size parameter on the order form;
- providing at least one additional parameter, wherein the at least one additional parameter comprises material, model, style, color, material treatment, traction level, cleat type, cushioning type, or personalization;
- entering ~~[[the]]~~ a cleat type at least one additional parameter on the order form;
- submitting the order form through the at least one computer; and
- receiving the golf shoes footwear according to each parameter on the order form.

28. (Currently Amended) The method of claim 27, wherein the step of providing at least one computer further includes comprises providing a first computer at a store location and a second computer at a warehouse in communication with the first computer.

29. (Currently Amended) The method of claim 28, wherein the step of providing at least one computer further includes comprises providing a third computer at a manufacturing facility in communication with the first and second computers.

30. (Currently Amended) The method of claim 27, wherein the step of providing at least one measuring device further comprises providing at least one of a laser-sizing device, a photographic-sizing device, or a graduated-sizing device.

31. (Currently Amended) The method of claim 27, further comprising the step of providing the footwear according to the order form by manufacturing the footwear at a manufacturing facility at a location different from the remote site.

32. (Currently Amended) The method of claim 27, further comprising wherein the step of providing at least one additional parameter comprises the steps of:
selecting an insole material; [[and]]
selecting an outsole material; and
inputting the insole material and outsole material on the order form.

33. (Currently Amended) The method of claim 27, further comprising wherein the step of providing at least one additional parameter comprises the steps of:
selecting a cushioning type, wherein the choices of cushioning comprise rubber plugs, air plugs, gel cushions, foam, or mixtures thereof; and
inputting the cushioning type on the order form.

34. (Currently Amended) The method of claim 27, further comprising the steps of: wherein the step of providing at least one additional parameter comprises the steps of:
providing a custom indicia;
choosing the custom indicia application method from the group consisting of
punching, embroidering, printing, and inscribing; and
inputting the custom indicia application method on the order form.

Please add the following new claims:

35. (New) A method for placing an order for golf shoes, comprising the steps of:
providing at least one computer;
providing an order form through the at least one computer to be accessed by a user from a remote site;
measuring the user's foot size to provide a size parameter using a device connected to the computer;
providing a custom indicia;

submitting the order form through the computer network; and
receiving the golf shoes according to each parameter in the order form.

36. (New) The method of claim 35, wherein the step of providing a custom indicia further comprises the steps of:
selecting a custom indicia application method; and
inputting the custom indicia application method on the order form.
37. (New) The method of claim 36, wherein the custom indicia application method is selected from the group consisting of punching, embroidering, printing, and inscribing.
38. (New) The method of claim 35, further comprising the step of:
selecting a cushioning type, wherein the choices of cushioning comprise rubber plugs, air plugs, gel cushions, foam, or mixtures thereof; and
inputting the cushioning type on the order form.
39. (New) The method of claim 35, further comprising the step of:
selecting an insole material;
selecting an outsole material; and
inputting the insole material and outsole material on the order form.
40. (New) The method of claim 35, further comprising the step of:
selecting a material treatment from the group consisting of temperature responsive treatment, stain-proofing, pattern, and water proofing; and
inputting the material treatment on the order form.
41. (New) The method of claim 27, wherein the cleat type comprises metal or plastic.